# THEORETICAL AND APPLIED GENETICS

Vol. 71 1985/86

International Journal of Breeding Research and Cell Genetics

**Editorial Board**

Managing Editor: H. F. Linskens, Nijmegen

L. Alföldi, Szeged
J. S. F. Barker, Armidale
E. J. Eisen, Raleigh, NC
Y. Y. Gleba, Kiev
R. Hagemann, Halle/S.
A. R. Hallauer, Ames, IA
Hu Han, Peking
A. L. Kahler, Brookings, SD
G. S. Khush, Manila
J. Mac Key, Uppsala
P. Maliga, Oakland, Calif
F. Mechelke, Stuttgart
G. Melchers, Tübingen
B. R. Murty, New Delhi
P. L. Pfahler, Gainesville, Fla
R. Riley, F. R. S., London
A. Robertson, F. R. S., Edinburgh
F. Salamini, Köln-Vogelsang
K. Sittmann, Montreal
H. Stubbe, Gatersleben
P. M. A. Tigerstedt, Helsinki
K. Tsunewaki, Kyoto
L. D. Van Vleck, Ithaca, NY
G. Wenzel, Grünbach
D. von Wettstein, Copenhagen

Springer International

International Journal of Breeding Research and Cell Genetics

Founded in 1929 under the title 'Der Züchter' as a German journal for theoretical and applied genetics; changed from a national journal devoted almost exclusively to plant breeding to an international periodical for genetics and breeding research under the same title 'Der Züchter' in 1966; in 1968 to 'Theoretical and Applied Genetics'; edited by H. Stubbe from 1946 to 1976

---

**Copyright**

Submission of a manuscript implies: that the work described has not been published before (except in the form of an abstract or as part of a published lecture, review, or thesis); that it is not under consideration for publication elsewhere; that its publication has been approved by all coauthors, if any, as well as by the responsible authorities at the institute where the work has been carried out; that, if and when the manuscript is accepted for publication, the authors agree to automatic transfer of the copyright to the publisher; and that the manuscript will not be published elsewhere in any language without the consent of the copyright holders.

All articles published in this journal are protected by copyright, which covers the exclusive rights to reproduce and distribute the article (e.g., as offprints), as well as all translation rights. No material published in this journal may be reproduced photographically or stored on microfilm, in electronic data bases, video disks, etc., without first obtaining written permission from the publisher.

The use of general descriptive names, trade names, trademarks, etc., in this publication, even if not specifically identified, does not imply that these names are not protected by the relevant laws and regulations.

While the advice and information in this journal is believed to be true and accurate at the date of its going to press, neither the authors, the editors, nor the publisher can accept any legal responsibility for any errors or omissions that may be made. The publisher makes no warranty, express or implied, with respect to the material contained herein.

*Special regulations for photocopies in the USA*

Photocopies may be made for personal or in-house use beyond the limitations stipulated under Section 107 or 108 of U.S. Copyright Law, provided a fee is paid. This fee is US $ 0.20 per page, or a minimum of US $ 1.00 if an article contains fewer than five pages. All fees should be paid to the Copyright Clearance Center, Inc., 21 Congress Street, Salem, MA 01970, USA, stating the ISSN 0040-5752, the volume, and the first and last page numbers of each article copied. The copyright owner's consent does not include copying for general distribution, promotion, new works, or resale. In these cases, specific written permission must first be obtained from the publisher.

*Other regulations*

Authors publishing in this journal can, under certain conditions, benefit from library and photocopy fees collected by VG WORT. Authors of German nationality or resident in the Federal Republic of Germany or Berlin (West), as well as citizens of Austria, Switzerland and member countries of the European Community, may apply to Verwertungsgesellschaft WORT, Abteilung Wissenschaft, Goethestraße 49, D-8000 München 2, for detailed information.

Printed in Germany – © Springer-Verlag Berlin Heidelberg 1985/86 · Springer-Verlag GmbH & Co. KG, D-1000 Berlin 33 · Printers: Graphischer Betrieb Konrad Triltsch, D-8700 Würzburg

# Table of Contents


Adams, W.T.: see Neale, D.B., 201
Anjani, K.: see Subhashini, U. et al., 545
Appels, R.: see Brettell, R.I.S. et al., 637
Appels, R.: see Lawrence, G.J., 742
Arunachalam, V.: see Bandyopadhyay, A. et al., 300
Arunachalam, V.: see Dutta, M. et al., 662
Ascher, P.D.: see Dana, M.N., 573
Ascher, P.D.: see Dana, M.N., 578
Asíns, M.J.; Pérez de la Vega, M.: The inheritance of tetraploid wheat seed peroxidases 61
Auer, H.: see Krutzler, J. et al., 669
Aumann, J.: see Butler, I. von et al., 698
Austin, S.; Baer, M.; Ehlenfeldt, M.; Kazmierczak, P.J.; Helgeson, J.P.: Intra-specific fusions in *Solanum tuberosum* 172
Austin, S.; Ehlenfeldt, M.K.; Baer, M.A.; Helgeson, J.P.: Somatic hybrids produced by protoplast fusion between *S.tuberosum* and *S. brevidens:* phenotypic variation under field conditions 682

Baenziger, P.S.: see Sharma, H.C., 750
Baer, M.: see Austin, S. et al., 172
Baer, M.A.: see Austin, S. et al., 682
Bains, A.: see Ooms, G. et al., 325
Balyan, H.S.; Verma, A.K.: Relative efficiency of two mating systems and selection procedures for yield improvement in-wheat (*Triticum aestivum* L.) 111
Bandyopadhyay, A.; Arunachalam, V.; Venkaiah, K.: Efficient selection intensity in early generation index selection in groundnut (*Arachis hypogaea* L.) 300
Bandyopadhyay, A.: see Dutta, M. et al., 662
Banerjee-Chattopadhyay, S.; Schwemmin, A.M.; Schwemmin, D.J.: A study of karyotypes and their alterations in cultured and *Agrobacterium* transformed roots of *Lycopersicon peruvianum* Mill. 258
Barreneche, M.T.: see Cherisey, H. de et al., 57
Benito, C.: see Salinas, J., 136
Bhuvanakumar, C.K.; Lynch, C.B.; Roberts, R.C.; Hill, W.G.: Heterosis among lines of mice selected for body weight. 1. Growth 44
Bhuvanakumar, C.K.; Roberts, R.C.; Hill, W.G.: Heterosis among lines of mice selected for body weight. 2. Reproduction 52
Black, IV, W.C.; Krafsur, E.S.: Temporal and spatial trends in allozyme frequencies in house fly populations, *Musca domestica* L. 673
Blake, T.: see Osborn, T.C. et al., 847
Bliss, F.A.: see Osborn, T.C. et al., 847
Bliss, F.A.: see Romero-Andreas, J., 478
Bondari, K.; Washburn, K.W.; Ware, G.O.: Effect of initial size on subsequent growth and carcass characteristics of divergently selected channel catfish 153
Borromeo, E.S.: see Ling, D.H. et al., 133
Bourque, D.P.: see Smith, H.J., 26
Branlard, G.: see Charmet, G., 193
Brettell, R.I.S.; Pallotta, M.A.; Gustafson, J.P.; Appels, R.: Variation at the *Nor* loci in triticale derived from tissue culture 637
Brunel, D.; Rodolphe, F.: Genetic neighbourhood structure in a population of *Picea abies* L. 101
Buckner, B.; Hyde, B.B.: Chloroplast DNA variation between the common cultivated potato (*Solanum tuberosum* spp. *tuberosum*) and several South American relatives 527
Burdon, J.J.: see Marshall, D.R. et al., 801
Burr, B.: see Evola, S.V. et al., 765
Burr, F.A.: see Evola, S.V. et al., 765
Burrell, M.: see Ooms, G. et al., 325
Butler, I. von; Aumann, J.; Pirchner, F.: Antagonistic selection for correlated body weight traits in different mouse populations 698

Caligari, P.D.S.: see Powell, W. et al., 443
Caligari, P.D.S.: see Powell, W. et al., 461
Callan, N.W.; Thompson, M.M.: Exogenous sugars overcome incompatibility in hazelnut (*Corylus avellana* L.) 657
Cameron, M.W.: see Handley, L.W. et al., 691
Campo, J.L.; Rodriguez, M.C.: Experimental comparison of methods for simultaneous selection of two correlated traits in *Tribolium*. 1. Empirical and theoretical selection indexes 93
Carbonero, P.: see Paz-Ares, J. et al., 842
Cavins, J.F.: see Wilcox, J.R., 74
Cermeño, M.C.: see Lacadena, J.R., 278
Cermeño, M.C.: see Orellana, J. et al., 532
Chahal, G.S.: see Singh, M. et al., 126
Charmet, G.; Branlard, G.: A comparison of androgenetic doubled-haploid, and single seed descent lines in Triticale 193
Chen, L.F.; Palmer, R.G.: Cytological studies of triploids and their progeny from male-sterile (*ms 1*) soybean 400
Cherisey, H. de; Barreneche, M.T.; Jusuf, M.; Ouin, C.; Pernes, J.: Inheritance of some marker genes in *Setaria italica* (L.) P. Beauv. 57
Chevreau, E.; Lespinasse, Y.; Gallet, M.: Inheritance of pollen enzymes and polyploid origin of apple (*Malus* × *domestica* Borkh.) 268
Chu Qiren; Zhang Zhenhua; Gao Yuanhua: Cytogenetical analysis on aneuploids obtained from pollenclones of rice (*Oryza sativa* L.) 506
Coates, J.B.: see Davies, C.S. et al., 351
Cocking, E.C.: see Hamill, J.D. et al., 486
Colas des Francs, C.; Thiellement, H.: Chromosomal localization of structural genes and regulators in wheat by 2D electrophoresis of ditelosomic lines 31
Collins, W.W.: see Templeton-Somers, K.M., 835
Conner, A.J.; Meredith, C.P.: Large scale selection of aluminum-resistant mutants from plant cell culture: expression and inheritance in seedlings 159
Cooper, D.B.; Sears, R.G.; Lookhart, G.L.; Jones, B.L.: Heritable somaclonal variation in gliadin proteins of wheat plants derived from immature embryo callus culture 784
Corgan, J.N.: see Peffley, E.B. et al., 176
Cuñado, N.: see Orellana, J. et al., 532

Daday, H.V.; Whitecross, M.I.; Shaw, D.C.: One large subunit of ribulose 1,5-bisphosphate carboxylase oxygenase in *Medicago, Spinacia* and *Nicotiana* 708
Dahiya, B.N.; Singh, V.P.: Comparative efficacy of pedigree selection and selective intermating in greengram (*Vigna radiata* (L.) Wilczek) 129
Dana, M.N.; Ascher, P.D.: Sexually localized expression of pseudo-self compatibility (PSC) in *Petunia* × *hybrida* Hort. 1. Pollen inactivation 573
Dana, M.N.; Ascher, P.D.: Sexually localized expression of pseudo-self compatibility (PSC) in *Petunia* × *hybrida* Hort. 2. Stylar inactivation 578

Davies, C.S.; Coates, J.B.; Nielsen, N.C.: Inheritance and biochemical analysis of four electrophoretic variants of β-conglycinin from soybean 351
Davies, E.W.: see Evans, G.M., 185
Degani, Ch.: see Goldring, A. et al., 491
Doyle, G.G.: The allotetraploidization of maize. 4. Cytological and genetic evidence indicative of substantial progress 585
Dron, M.: see Rode, A. et al., 320
Dunnington, E.A.; Siegel, P.B.: Long-term selection for 8-week body weight in chickens – direct and correlated responses 305
Dutta, M.; Arunachalam, V.; Bandyopadhyay, A.; Vinod Prabhu, K.: Early generation intermating for yield improvement in groundnut (*Arachis hypogaea* L.) 662

Earle, E.D.: see Sisco, P.H. et al., 5
Ehlenfeldt, M.: see Austin, S. et al., 172
Ehlenfeldt, M.K.: see Austin, S. et al., 682
El-Kassaby, Y.A.: see Ritland, K., 375
Erickson, L.R.: see Xiao, W. et al., 716
Evans, G.M.; Davies, E.W.: The genetics of meiotic chromosome pairing in *Lolium temulentum* × *Lolium perenne* tetraploids 185
Everett, H.L.: see Lemke, C.A. et al., 481
Everett, H.L.: see Sisco, P.H. et al., 5
Evola, S.V.; Burr, F.A.; Burr, B.: The suitability of restriction fragment length polymorphisms as genetic markers in maize 765

Famula, T.R.: An equivalence between models of restricted selection and genetic groups 413
Feenstra, W. J.: see Scholten, H.J. et al., 556
Fritschi, S.; Stranzinger, G.: Fluorescent chromosome banding in inbred chicken: quinacrine bands, sequential chromomycin and Dapi bands 408
Frusciante, L.: see Snoad, B. et al., 39
Fukui, K.: see Mathias, R.J., 797

Gallet, M.: see Chevreau, E. et al., 268
Galun, E.: see Perl-Treves, R., 417
Galun, E.: see Perl-Treves, R. et al., 430
Gao Yuanhua: see Chu Qiren et al., 506
García-Olmedo, F.: see Paz-Ares, J. et al., 842
Gengenbach, B.G.: see Ludwig, S.R. et al., 344
Gepts, P.: see Osborn, T.C. et al., 847
Gladstones, J.S.: see Roy, N.N., 238
Glaz, B.; Miller, J.D.; Kang, M.S.: Evaluation of cultivar-testing locations in sugarcane 22
Gleddie, S.; Keller, W.A.; Setterfield, G.: Production and characterization of somatic hybrids between *Solanum melongena* L. and *S. sisymbriifolium* Lam. 613
Goldring, A.; Zamir, D.; Degani, Ch.: Duplicated phosphoglucose isomerase genes in avocado 491
Goldstein, C.S.; Kronstad, W.E.: Tissue culture and plant regeneration from immature embryo explants of Barley, *Hordeum vulgare* 631
Goudappel, P.H.: see Powell, W. et al., 443
Gracen, V.E.: see Lemke, C.A. et al., 481
Gracen, V.E.: see Sisco, P.H. et al., 5
Gregorius, H.-R.; Roberds, J.H.: Measurement of genetical differentiation among subpopulations 826
Griffin, A.R.; Lindgren, D.: Effect of inbreeding on production of filled seed in *Pinus radiata* – experimental results and a model of gene action 334
Gupta, V.P.: see Thukral, S.K. et al., 648
Gusmão, L.: An adequate design for regression analysis of yield trials 314
Gustafson, J.P.: see Brettell, R.I.S. et al., 637

Hamill, J.D.; Pental, D.; Cocking, E.C.: Analysis of fertility in somatic hybrids of *Nicotiana rustica* and *N. tabacum* and progeny over two sexual generations 486
Handley, L.W.; Nickels, R.L.; Cameron, M.W.; Moore, P.P.; Sink, K.C.: Somatic hybrid plants between *Lycopersicon esculentum* and *Solanum lycopersicoides* 691
Hartmann, C.: see Rode, A. et al., 320
Heberle-Bors, E.: In vitro haploid formation from pollen: a critical review (Review) 361
Helgeson, J.P.: see Austin, S. et al., 172
Helgeson, J.P.: see Austin, S. et al., 682
Hernández-Lucas, C.: see Paz-Ares, J. et al., 842
Heun, M.: see Zeller, F.J., 513
Hill, W.G.: see Bhuvanakumar, C.K. et al., 44
Hill, W.G.: see Bhuvanakumar, C.K. et al., 52
Hille, J.: see Ramanna, M.S. et al., 145
Hood, J.V.: see Shaw, D.V., 392
Horak, K.E.: see Peffley, E.B. et al., 176
Hühn, M.: Theoretical studies on the necessary number of components in mixtures. 2. Number of components and yielding-ability 622
Hyde, B.B.: see Buckner, B., 527
Hymowitz, T.: see Singh, R.J., 221

Ishii, S.: see Ohgawara, T. et al., 1

Jackson, J.F.: see Kamboj, R.K., 815
Jackson, R.C.; Murray, B.G.: Quantitative analysis of diploid translocation heterozygotes: test of models and equations 600
Jain, S. K.: see Kesseli, R.V., 292
Jambhale, N.D.; Nerkar, Y.S.: An unstable gene controlling developmental variegation in okra (*Abelmoschus esculentus* (L.) Moench) 122
Jinks, J.L.: see Powell, W. et al., 461
Jones, B.L.: see Cooper, D.B. et al., 784
Jones, W.T.: see Ross, M.D., 284
Jusuf, M.; Pernes, J.: Genetic variability of foxtail millet (*Setaria italica* P. Beauv.). Electrophoretic study of five isoenzyme systems 385
Jusuf, M.: see Cherisey, H. de et al., 57

Kalat, M.: see Mayr, B. et al., 703
Kamboj, R.K.; Jackson, J.F.: Self-incompatibility alleles control a low molecular weight, basic protein in pistils of *Petunia hybrida* 815
Kang, M.S.: see Glaz, B. et al., 22
Karp, A.: see Ooms, G. et al., 325
Kazmierczak, P.J.: see Austin, S. et al., 172
Keller, W.A.: see Gleddie, S. et al., 613
Kesseli, R.V.; Jain, S.K.: Breeding systems and population structure in *Limnanthes* 292
Kinoshita, T.: see Mikami, T. et al., 166
Kishima, Y.: see Mikami, T. et al., 166
Kobayashi, S.: see Ohgawara, T. et al., 1
Koebner, R.M.D.; Shepherd, K.W.: Induction of recombination between rye chromosome 1RL and wheat chromosomes 208
Krafsur, E.S.: see Black, IV, W.C., 673
Kronstad, W.E.: see Goldstein, C.S., 631
Krutzler, J.; Mayr, B.; Auer, H.; Schleger, W.: Chromosome markers in cattle 669

Lacadena, J.R.; Cermeño, M.C.: Nucleolus organizer competition in *Triticum aestivum* – *Aegilops umbellulata* chromosome addition lines 278
Landsmann, J.; Uhrig, H.: Somaclonal variation in *Solanum tuberosum* detected at the molecular level 500

Law, C.N.: see Snape, J.W.et al., 518
Lawrence, G.J.; Appels, R.: Mapping the nucleolus organizer region, seed protein loci and isozyme loci on chromosome 1R in rye 742
Lázaro, A.: see Paz-Ares, J. et al., 842
Lemke, C.A.; Gracen, V.E.; Everett, H.L.: A new source of cytoplasmic male sterility in maize induced by the nuclear gene, *iojap* 481
Lespinasse, Y.: see Chevreau, E. et al., 268
Levings, III, C.S.: see Sisco, P.H. et al., 5
Lin, C.Y.; Nagai, J.: Partitioning of genetic effects on lifetime performance of mice 250
Lindgren, D.: see Griffin, A.R., 334
Lindgren, D.: see Matheson, A.C., 242
Ling, D.H.; Vidhyaseharan, P.; Borromeo, E.S.; Zapata, F.J.; Mew, T.W.: In vitro screening of rice germplasm for resistance to brown spot disease using phytotoxin 133
Li Yi-qin; Tsao, T.H.: Covalently bound wall proteins of pollen grains and pollen tubes grown in vitro and in styles after self- and cross-pollination in *Lilium longiflorum* 263
Lookhart, G.L.: see Cooper, D.B. et al., 784
Ludwig, S.R.; Somers, D.A.; Petersen, W.L.; Pohlman, R.F.; Zarowitz, M.A.; Gengenbach, B.G.; Messing, J.: High frequency callus formation from maize protoplasts 344
Luke, H.H.: see Rines, H.W., 16
Lynch, C.B.: see Bhuvanakumar, C.K. et al., 44

Marshall, D.R.; Burdon, J.J.; Müller, W.J.: Multiline varieties and disease control. 6. Effects of selection at different stages of the pathogen life cycle on the evolution of virulence 801
Matheson, A.C.; Lindgren, D.: Gains from the clonal and the clonal seed-orchard options compared for tree breeding programs 242
Mathias, R.J.; Fukui, K.: The effect of specific chromosome and cytoplasm substitutions on the tissue culture response of wheat (*Triticum aestivum*) callus 797
Mayr, B.; Rab, P.; Kalat, M.: Localisation of NORs and counterstain-enhanced fluorescence studies in *Salmo gairdneri* and *Salmo trutta* (Pisces, Salmonidae) 703
Mayr, B.: see Krutzler, J. et al., 669
McCoy, T.J.; Smith, L.Y.: Interspecific hybridization of perennial *Medicago* species using ovule-embryo culture 772
McCutchan, B.G.; Ou, J.X.; Namkoong, G.: A comparison of planned unbalanced designs for estimating heritability in perennial tree crops 536
McNay, J.W.: see Sisco, P.H. et al., 5
Meredith, C.P.: see Conner, A.J., 159
Messing, J.: see Ludwig, S.R. et al., 344
Mew, T.W.: see Ling, D.H. et al., 133
Mikami, T.; Kishima, Y.; Sugiura, M.; Kinoshita, T.: Organelle genome diversity in sugar beet with normal and different sources of male sterile cytoplasms 166
Miller, J.D.: see Glaz, B. et al., 22
Miranda Filho, J.B. de: see Toledo, J.F.F. de, 563
Monti, L.M.: see Snoad, B. et al., 39
Moore, P.P.: see Handley, L.W. et al., 691
Moreno-González, J.: Choice of environments in reciprocal recurrent selection programs 652
Moser, H.S.: see Smith, G.A., 231
Müller, W.J.: see Marshall, D.R. et al., 801
Murphy, P.J.; Witcombe, J.R.: Covered and naked barleys from the Himalaya. 1. Evidence of multivariate differences between the two types 730
Murphy, P.J.: see Witcombe, J.R., 736
Murray, B.G.: see Jackson, R.C., 600
Murry, L.E.: see Wu, F.S., 68

Nagai, J.: see Lin, C.Y., 250
Namkoong, G.: see McCutchan, B.G. et al., 536
Navot, N.: see Perl-Treves, R. et al., 430
Neale, D.B.; Adams, W.T.: The mating system in natural and shelterwood stands of Douglas-fir 201
Nerkar, Y.S.: see Jambhale, N.D., 122
Nickels, R.L.: see Handley, L.W. et al., 691
Nielsen, N.C.: see Davies, C.S. et al., 351
Nijdam, H.: see Scholten, H.J. et al., 556

Oettler, G.: The effect of wheat cytoplasm on the synthesis of wheat × rye hybrids 467
Ohgawara, T.; Kobayashi, S.; Ohgawara, E.; Uchimiya, H.; Ishii, S.: Somatic hybrid plants obtained by protoplast fusion between *Citrus sinensis* and *Poncirus trifoliata* 1
Ohgawara, E.: see Ohgawara, T. et al., 1
Ooms, G.; Bains, A.; Burrell, M.; Karp, A.; Twell, D.; Wilcox, E.: Genetic manipulation in cultivars of oilseed rape (*Brassica napus*) using *Agrobacterium* 325
Orellana, J.; Cuñado, N.; Cermeño, M.C.: Genome-specific control of meiotic pairing evidenced in mutant *Aegilops ventricosa-Secale cereale* amphidiploids 532
Osborn, T.C.; Blake, T.; Gepts, P.; Bliss, F.A.: Bean arcelin. 2. Genetic variation, inheritance and linkage relationships of a novel seed protein of *Phaseolus vulgaris* L. 847
Ou, J.X.: see McCutchan, B.G. et al., 536
Ouetier, F.: see Rode, A. et al., 320
Ouin, C.: see Cherisey, H. de et al., 57

Pallotta, M.A.: see Brettell, R.I.S. et al., 637
Palmer, R.G.: see Chen, L.F., 400
Parker, B.B.: see Snape, J.W.et al., 518
Parsons, J.E.: see Thorgaard, G.H. et al., 119
Paz-Ares, J.; Ponz, F.; Rodríguez-Palenzuela, P.; Lázaro, A.; Hernández-Lucas, C.; García-Olmedo, F.; Carbonero, P.: Characterization of cDNA clones of the family of trypsin/α-amylase inhibitors (CM-proteins) in barley (*Hordeum vulgare* L.) 842
Peffley, E.B.; Corgan, J.N.; Horak, K.E.; Tanksley, S.D.: Electrophoretic analysis of *Allium* alien addition lines 176
Pental, D.: see Hamill, J.D. et al., 486
Pérez de la Vega, M.: see Asins, M.J., 61
Perl-Treves, R.; Galun, E.: The *Cucumis* plastome: physical map, intrageneric variation and phylogenetic relationships 417
Perl-Treves, R.; Zamir, D.; Navot, N.; Galun, E.: Phylogeny of *Cucumis* based on isozyme variability and its comparison with plastome phylogeny 430
Pernes, J.: see Cherisey, H. de et al., 57
Pernes, J.: see Jusuf, M., 385
Petersen, W.L.: see Ludwig, S.R. et al., 344
Picard, E.: see Rode, A. et al., 320
Pickering, R.A.: see Thomas, H.M., 437
Pirchner, F.: see Butler, I. von et al., 698
Pohlman, R.F.: see Ludwig, S.R. et al., 344
Ponz, F.: see Paz-Ares, J. et al., 842
Powell, W.; Caligari, P.D.S.; Goudappel, P.H.; Thomas, W.T.B.: Competitive effects in monocultures and mixtures of spring barley (*Hordeum vulgare*) 443
Powell, W.; Caligari, P.D.S.; Swanston, J.S.; Jinks, J.L.: Genetical investigations into β-glucan content in barley 461
Prasad, G.S.R.: see Subhashini, U. et al., 545
Pring, D.R.: see Sisco, P.H. et al., 5
Pundir, R.P.S.; Singh, R.B.: Cytogenetics of F1 hybrids between *Cajanus* and *Atylosia* species and its phylogenetic implications 216

Qifa Zhang; Shu Geng: A method of estimating varietal stability for data of long-term trials 810

Rab, P.: see Mayr, B. et al., 703
Ramanna, M.S.; Hille, J.; Zabel, P.: Chromosome breakage-fusion-bridge-cycle and phenotypic instability in isochromosome lines of tomato 145
Reddy, P. Janardhan; Vaidyanath, K.: In vitro characterization of salt stress effects and the selection of salt tolerant plants in rice (*Oryza sativa* L.) 757
Reith, M.: see Xiao, W. et al., 716
Rines, H.W.; Luke, H.H.: Selection and regeneration of toxin-insensitive plants from tissue cultures of oats (*Avena sativa*) susceptible to *Helminthosporium victoriae* 16
Ritland, K.; El-Kassaby, Y.A.: The nature of inbreeding in a seed orchard of Douglas fir as shown by an efficient multilocus model 375
Roberds, J.H.: see Gregorius, H.-R., 826
Roberts, R.C.: see Bhuvanakumar, C.K. et al., 44
Roberts, R.C.: see Bhuvanakumar, C.K. et al., 52
Rode, A.; Hartmann, C.; Dron, M.; Picard, E.; Ouetier, F.: Organelle genome stability in anther-derived doubled haploids of wheat (*Triticum aestivum* L., cv. 'Moisson') 320
Rodolphe, F.: see Brunel, D., 101
Rodriguez, M.C.: see Campo, J.L., 93
Rodriguez-Palenzuela, P.: see Paz-Ares, J. et al., 842
Rollo, F.: Characterisation by molecular hybridization of RNA fragments isolated from ancient (1400 B.C.) seeds 330
Romero-Andreas, J.; Bliss, F.A.: Heritable variation in the phaseolin protein of nondomesticated common bean, *Phaseolus vulgaris* L. 478
Ross, M.D.; Jones, W.T.: The origin of *Lotus corniculatus* 284
Roush, R.T.; Schneider, J.C.:An analytical model for genetic control of *Heliothis virescens* incorporating the effects of sterile males 472
Rowe, D.E.: Errors in genetic theory equations 451
Roy, N.N.; Gladstones, J.S.: Prospects for interspecific hybridization of *Lupinus atlanticus* Gladst. with *L. cosentinii* Guss. 238

Sachan, J.N.; Singh, B.: Linked epistasis for six quantitative traits in Indian mustard (*Brassica juncea* (L.) Czern & Coss) 644
Salinas, J.; Benito, C.: Esterase isozymes in rye – Characterization, genetic control and chromosomal location 136
Satija, D.R.: see Thukral, S.K. et al., 648
Scheerer, P.D.: see Thorgaard, G.H. et al., 119
Schleger, W.: see Krutzler, J. et al., 669
Schneider, J.C.: see Roush, R.T., 472
Scholten, H.J.; Vries, S.E. de; Nijdam, H.; Feenstra, W.J.: Nitrate reductase deficient cell lines from diploid cell cultures and lethal mutant M2 plants of *Arabidopsis thaliana* 556
Schwemmin, A.M.: see Banerjee-Chattopadhyay, S. et al., 258
Schwemmin, D.J.: see Banerjee-Chattopadhyay, S. et al., 258
Sears, R.G.: see Cooper, D.B. et al., 784
Setterfield, G.: see Gleddie, S. et al., 613
Sharma, B.: see Sharma S.K., 820
Sharma, H.C.; Baenziger, P.S.: Production, morphology, and cytogenetic analysis of *Elymus caninus* (*Agropyron caninum*) × *Triticum aestivum* $F_1$ hybrids and backcross-1 derivatives 750
Sharma, S.K.; Sharma, B.: Mutagen sensitivity and mutability in lentil 820
Shaw, D.C.: see Daday, H.V. et al., 708
Shaw, D.V.; Hood, J.V.: Maximizing gain per effort by using clonal replicates in genetic tests 392
Shepherd, K.W.: see Koebner, R.M.D., 208
Shepherd, K.W.: see Singh, N.K., 79
Shi-rong Jia: see You-ying Fu et al., 495
Shu Geng: see Qifa Zhang, 810
Siegel, P.B.: see Dunnington, E.A., 305
Singh, B.: see Sachan, J.N., 644
Singh, M.; Singh, T.H.; Chahal, G.S.: Genetic analysis of some seed quality characters in upland cotton (*Gossypium hirsutum* L.) 126
Singh, N.K.; Shepherd, K.W.: The structure and genetic control of a new class of disulphide-linked proteins in wheat endosperm 79
Singh, R.B.: see Pundir, R.P.S., 216
Singh, R.J.; Hymowitz, T.: The genomic relationships among six wild perennial species of the genus *Glycine* subgenus *Glycine* Willd. 221
Singh, T.H.: see Singh, M. et al., 126
Singh, V.P.: see Dahiya, B.N., 129
Sink, K.C.: see Handley, L.W. et al., 691
Sisco, P.H.; Gracen, V.E.; Everett, H.L.: Earle, E.D.; Pring, D.R.; McNay, J.W.; Levings, III, C.S.: Fertility restoration and mitochondrial nucleic acids distinguish at least five subgroups among cms-S cytoplasms of maize (*Zea mays* L.) 5
Smith, G.A.; Moser, H.S.: Sporophytic-gametophytic herbicide tolerance in sugarbeet 231
Smith, H.J., Bourque, D.P.: Species-specific proteins of the 50S subunit of the chloroplast ribosome in the genus *Nicotiana* 26
Smith, J.S.C.; Smith, O.S.: Environmental effects on zein chromatograms of maize inbred lines revealed by reversed-phase high-performance liquid chromatography 607
Smith, L.Y.: see McCoy, T.J., 772
Smith, O.S.: see Smith, J.S.C., 607
Snape, J.W.; Law, C.N.; Parker, B.B.; Worland, A.J.: Genetical analysis of chromosome 5A of wheat and its influence on important agronomic characters 518
Snoad, B.; Monti, L.M.; Frusciante, L.: The effects of heterozygosity at the *af*, *st* and *tl* loci in peas 39
Somers, D.A.: see Ludwig, S.R. et al., 344
Stranzinger, G.: see Fritschi, S., 408
Straus, N.A.: see Xiao, W. et al., 716
Subhashini, U.; Venkateswarlu, T.; Anjani, K.; Prasad, G.S.R.: In vitro hybridization in an incompatible cross *Nicotiana glutinosa* × *Nicotiana megalosiphon* 545
Sugiura, M.: see Mikami, T. et al., 166
Swanston, J.S.: see Powell, W. et al., 461

Tai, G.C.C.: A method to construct confidence interval for expected response to multi-trait selection 595
Tan, G.-Y.; Tan, W.-K.: Interaction between alfalfa cultivars and *Rhizobium* strains for nitrogen fixation 724
Tan, W.-K.: see Tan, G.-Y., 724
Tanksley, S.D.: see Peffley, E.B. et al., 176
Tapsell, C.R.: see Thomas, W.T.B., 550
Templeton-Somers, K.M.; Collins, W.W.: Heritability of regeneration in tissue cultures of sweet potato (*Ipomoea batatas* L.) 835
Thiellement, H.: see Colas des Francs, C., 31
Thomas, H.M.; Pickering, R.A.: The influence of parental genotype on the chromosome behaviour of *Hordeum vulgare* × *H. bulbosum* diploid hybrids 437
Thomas, W.T.B.; Tapsell, C.R.: Cross prediction studies on spring barley. 3. Correlation between characters 550
Thomas, W.T.B.: see Powell, W. et al., 443
Thompson, M.M.: see Callan, N.W., 657
Thorgaard, G.H.; Scheerer, P.D.; Parsons, J.E.: Residual paternal inheritance in gynogenetic rainbow trout: implications for gene transfer 119

Thukral, S.K.; Satija, D.R.; Gupta, V.P.: Biochemical genetic basis of downy mildew resistance in pearl millet 648
Toledo, J.F.F. de; Miranda Filho, J.B. de: Predicting the potential of open-pollinating populations for the production of superior $F_1$ hybrids 563
Tsao, T.H.: see Li Yi-qin, 263
Twell, D.: see Ooms, G. et al., 325

Uchimiya, H.: see Ohgawara, T. et al., 1
Uhrig, H.: Genetic selection and liquid medium conditions improve the yield of androgenetic plants from diploid potatoes 455
Uhrig, H.: see Landsmann, J., 500

Vaidyanath, K.: see Reddy, P. Janardhan, 757
Venkaiah, K.: see Bandyopadhyay, A. et al., 300
Venkateswarlu, T.: see Subhashini, U. et al., 545
Verma, A.K.: see Balyan, H.S., 111
Vidhyaseharan, P.: see Ling, D.H. et al., 133
Vinod Prabhu, K.: see Dutta, M. et al., 662
Vries, S.E. de: see Scholten, H.J. et al., 556

Ware, G.O.: see Bondari, K. et al., 153
Washburn, K.W.: see Bondari, K. et al., 153
Wehling, P.: see Wricke, G., 289
Whitecross, M.I.: see Daday, H.V. et al., 708
Wijsman, H.J.W.: Evidence for transposition in Petunia 791
Wilcox, E.: see Ooms, G. et al., 325
Wilcox, J.R.; Cavins, J.F.: Inheritance of low linolenic acid content of the seed oil of a mutant in *Glycine max* 74
Williams, J.P.: see Xiao, W. et al., 716
Witcombe, J.R.; Murphy, P.J.: Covered and naked barleys from the Himalaya. 2. Why do they differ from each other so extensively? 736
Witcombe, J.R.: see Murphy, P.J., 730
Worland, A.J.:see Snape, J.W.et al., 518
Wricke, G.; Wehling, P.: Linkage between an incompatibility locus and a peroxidase isozyme locus (*Prx 7*) in rye 289
Wu, F.S.; Murry, L.E.: Changes in protein and amino acid content during anther development in fertile and cytoplasmic male sterile *Petunia* 68

Xiao, W.; Reith, M.; Erickson, L.R.; Williams, J.P.; Straus, N.A.: Mapping the chloroplast genome of triazine resistant canola 716

You-ying Fu; Shi-rong Jia; Yun Lin: Plant regeneration from mesophyll protoplast culture of cabbage (*Brassica oleracea* var 'capitata') 495
Yun Lin: see You-ying Fu et al., 495

Zabel, P.: see Ramanna, M.S. et al., 145
Zamir, D.: see Goldring, A. et al., 491
Zamir, D.: see Perl-Treves, R. et al., 430
Zapata, F.J.: see Ling, D.H. et al., 133
Zarowitz, M.A.: see Ludwig, S.R. et al., 344
Zeller, F.J.; Heun, M.: The incorporation and characterization of powdery mildew resistance from *Aegilops longissima* in common wheat (*T. aestivum* L.) 513
Zhang Zhenhua: see Chu Qiren et al., 506

**Book reviews** 141, 142, 143, 144, 359, 360, 570, 571, 572, 667, 668, 761, 762, 763, 764, 856, 857, 858

**Announcement** 572

**Errata** 144, 858

Indexed in Current Contents